

SAFETY DATA SHEET

1. Identification

Product identifier	ANVOL™ Nitrogen Stabilizer
Other means of identification	
Product code	KAS_ANVOLNS_US_EN
Recommended use	Fertilizer Additive.
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/	Distributor information
Manufacturer/Supplier	Koch Agronomic Services, LLC
	4111 E 37th St N
	Wichita, KS 67220 US
	kochmsds@kochind.com
	1.866.863.5550
Emergency	For Chemical Emergency
	Call CHEMTREC day or night
	USA/Canada - 1.800.424.9300
	Mexico - 1.800.681.9531
	Outside USA/Canada - 1.703.527.3887
	(collect calls accepted)

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation Catego	
	Serious eye damage/eye irritation	Category 1
	Reproductive toxicity	Category 1B
OSHA defined hazards	Not classified.	

OSHA defined hazards Label elements



Signal word	Danger
Hazard statement	Causes serious eye damage. Causes skin irritation. May damage fertility or the unborn child.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name		CAS number	%
Non-hazardous Components		Proprietary	< 45
Duromide		2093385-47-6	20 - 30
N-(n-butyl)-thiophosphoric triam	ide	94317-64-3	10 - 20
N-methyl-2-pyrrolidone		872-50-4	< 10
Proprietary Surfactant blend		Proprietary	< 10
Composition comments	All concentrations are in percent by weight. This Sa specification or NPK value(s). NPK content is on sp product specification sheets obtained from supplier.	ecified sales orders, cus	
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptoms deve	elop or persist.	
Skin contact	Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: G medical advice/attention. Wash contaminated clothing before reuse.		
Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact present and easy to do. Continue rinsing. Get medical attention immediately.			
Ingestion	Rinse mouth. Get medical attention if symptoms oc	cur.	
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stingir vision. Permanent eye damage including blindness and pain.		
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat sym Symptoms may be delayed.	ptomatically. Keep victir	n under observation.
General information	IF exposed or concerned: Get medical advice/attent (show the label where possible). Ensure that medica involved, and take precautions to protect themselve attendance.	al personnel are aware o	of the material(s)
5. Fire-fighting measures			
Suitable extinguishing media	Water spray. Carbon dioxide (CO2). Water fog. Foa	ım.	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will		
Specific hazards arising from the chemical	Fire may produce irritating, corrosive and/or toxic ga	ases.	
Special protective equipment and precautions for firefighters	Selection of respiratory protection for firefighting: for the workplace. Self-contained breathing apparatus a case of fire.		
Fire fighting equipment/instructions	Use standard firefighting procedures and consider t containers from fire area if you can do so without ris		lved materials. Move
Specific methods General fire hazards	Use standard firefighting procedures and consider h This product is not flammable. Will burn if involved i		other involved materia
6. Accidental release meas	sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people a appropriate protective equipment and clothing durin or spilled material unless wearing appropriate prote Local authorities should be advised if significant spi protection, see section 8 of the SDS.	g clean-up. Do not touch ctive clothing. Ensure ac	damaged containers lequate ventilation.
Methods and materials for	Use water spray to reduce vapors or divert vapor cle	oud drift.	
containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.		
	Small Spills: Wipe up with absorbent material (e.g. or remove residual contamination.	cloth, fleece). Clean surf	ace thoroughly to
Environmental precautions	Never return spills to original containers for re-use. Avoid discharge into drains, water courses or onto t		section 13 of the SDS

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get this material in contact with eyes. Avoid contact with skin and clothing. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

limit 0

TWA		40	mg/m3
		10	ppm
ure Indices Value	Determinant	Specimen	Sampling Time
100 mg/l	5-Hydroxy-N-m ethyl-2-pyrrolid one	Urine	*
ease see the source docu	ment.		
Follow standard mor	nitoring procedures		
in designation			
	Can be	absorbed throu	igh the skin.
e (CAS 872-50-4)	Can be	absorbed throu	igh the skin.
maintain airborne lev established, maintair	vels below recomm n airborne levels to	ended exposure an acceptable	e limits. If exposure limits have not been level. Provide eyewash station and safety
Wear approved safe	ty glasses or goggl	es.	
Wear appropriate clo	othing to prevent re	peated or prolo	nged skin contact.
limits (where applica been established), a exposure concentrat mist, use suitable re respirators are used	able) or to an accep an approved respira tions are unknown. spiratory equipmen , a program should	table level (in control tor must be word tor must be word In case of inade the with particle file	ountries where exposure limits have not n. Wear air supplied respiratory protection i equate ventilation or risk of inhalation of Iter. In the United States of America, if
Wear appropriate the	ermal protective clo	othing, when ne	cessary.
and before eating, d	rinking, and/or smo	king. Routinely	wash work clothing and protective
equipment to remove practice.	e contarninarits. Le		nce with good industrial hygiene and safety
	e contaminants. The		ince with good industrial hygiene and safety
	Value 100 mg/l lease see the source docu Follow standard mor cin designation the (CAS 872-50-4) designation the (CAS 872-50-4) Good general ventila applicable, use proc maintain airborne leve established, maintain shower. Observe Oc spray mist. res, such as personal pro Wear approved safe Impervious gloves a change is advisable. Wear appropriate clo If engineering controc limits (where applica been established), a exposure concentrat mist, use suitable re respirators are used 1910.134 and ANSI Wear appropriate the Always observe goo	ValueDeterminant100 mg/l5-Hydroxy-N-m ethyl-2-pyrrolid one100 mg/l5-Hydroxy-N-m ethyl-2-pyrrolid onelease see the source document. Follow standard monitoring proceduresFollow standard monitoring proceduressin designation ne (CAS 872-50-4)Can be designationfe (CAS 872-50-4)Can be Good general ventilation should be use applicable, use process enclosures, loc maintain airborne levels below recomm established, maintain airborne levels below recomm established, maintain airborne levels below recomm established, maintain airborne levels to shower. Observe Occupational Exposu spray mist.res, such as personal protective equipmer Wear approved safety glasses or gogglImpervious gloves are recommended. If change is advisable. Suitable gloves ca Wear appropriate clothing to prevent re If engineering controls do not maintain limits (where applicable) or to an accep been established), an approved respirat exposure concentrations are unknown. mist, use suitable respiratory equipmen respirators are used, a program should 1910.134 and ANSI Z88.2. Wear appropriate thermal protective cloped always observe good personal hygiene	ValueDeterminantSpecimen100 mg/l5-Hydroxy-N-m ethyl-2-pyrrolid oneUrinelease see the source document. Follow standard monitoring procedures.Follow standard monitoring procedures.tin designation ne (CAS 872-50-4)Can be absorbed throu designation ne (CAS 872-50-4)fe (CAS 872-50-4)Can be absorbed throu designation ne (CAS 872-50-4)fe (CAS 872-50-4)Can be absorbed throu designation ne (CAS 872-50-4)fe (CAS 872-50-4)Can be absorbed throu designation ne (cas stablished, maintain airborne levels below recommended exposure established, maintain airborne levels to an acceptable shower. Observe Occupational Exposure Limits and m spray mist.res, such as personal protective equipment Wear approved safety glasses or goggles.Impervious gloves are recommended. Be aware that th change is advisable. Suitable gloves can be recommer Wear appropriate clothing to prevent repeated or prolo If engineering controls do not maintain airborne concert limits (where applicable) or to an acceptable level (in c been established), an approved respirator must be wor exposure concentrations are unknown. In case of inad mist, use suitable respiratory equipment with particle fi respirators are used, a program should be instituted to

Physical state

Liquid.

Odor	Slight.
Odor threshold	Not available.
рН	7.8
Melting point/freezing point	1.4 °F (-17 °C)
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	olosive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Soluble.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	112 cP
Other information	
Density	9.26 lb/gal
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Stable under normal temperature conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Extreme temperatures.
Incompatible materials	Acids. Strong oxidizing agents. Strong reducing agents.
Hazardous decomposition products	During combustion: Carbon oxides. Nitrogen oxides. Sulfur oxides.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye damage.
Ingestion	May cause discomfort if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.
Information on toxicological eff	erts

Information on toxicological effects

Components	Species	Test Results
Duromide (CAS 2093385-47-6)		
Acute		
Oral	Pot	> 2000 mg/kg
LD50	Rat	> 2000 mg/kg
N-(n-butyl)-thiophosphoric triamide	e (CAS 94317-64-3)	
<u>Acute</u> Dermal		
LD50	Rabbit	> 2000 mg/kg
Inhalation		
LC50	Wistar rat	> 2.1 mg/l, 4 hours
Oral		
LD50	Wistar rat	> 2000 mg/kg
N-methyl-2-pyrrolidone (CAS 872-	50-4)	
<u>Acute</u>		
Dermal		
LD50	Rat	> 5000 mg/kg
Inhalation		
Mist		
LC50	Rat	> 5.1 mg/l, 4 hours
Oral	Det	1150 m = /// =
LD50	Rat	4150 mg/kg
Skin corrosion/irritation	Causes skin irritation.	
Irritation Corrosion - Sk N-methyl-2-pyrrolidor		Result: Slightly irritating Species: Rabbit
Serious eye damage/eye irritation	Causes serious eye damage.	
Eye		
N-methyl-2-pyrrolidor	ne (CAS 872-50-4)	Result: Moderately irritating Species: Rabbit Observation Period: 14 days
Respiratory or skin sensitization	ı	
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to	o cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	Not classifiable as to carcinog	enicity to humans.
Not listed. NTP Report on Carcinogens	Evaluation of Carcinogenicity	enicity to humans.
IARC Monographs. Overall E Not listed. NTP Report on Carcinogens Not listed.	Evaluation of Carcinogenicity	
IARC Monographs. Overall B Not listed. NTP Report on Carcinogens Not listed. OSHA Specifically Regulate Not listed.	Evaluation of Carcinogenicity d Substances (29 CFR 1910.10	
IARC Monographs. Overall B Not listed. NTP Report on Carcinogens Not listed. OSHA Specifically Regulate Not listed. Reproductive toxicity Specific target organ toxicity -	Evaluation of Carcinogenicity d Substances (29 CFR 1910.10	001-1053)
IARC Monographs. Overall E Not listed. NTP Report on Carcinogens Not listed. OSHA Specifically Regulate	Evaluation of Carcinogenicity d Substances (29 CFR 1910.10 Possible reproductive hazard.	001-1053)
IARC Monographs. Overall B Not listed. NTP Report on Carcinogens Not listed. OSHA Specifically Regulate Not listed. Reproductive toxicity Specific target organ toxicity - single exposure Specific target organ toxicity -	Evaluation of Carcinogenicity d Substances (29 CFR 1910.10 Possible reproductive hazard. Not classified.	001-1053)

12. Ecological information

otoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environmen			
Components		Species	Test Results	
Duromide (CAS 2093385-47	' -6)			
Aquatic				
Acute				
Crustacea	EL50	Daphnia magna	> 100 mg/l, 48 hours	
Chronic				
Algae	EL50	Raphidocelis subcapitata	> 100 mg/l, 72 hours	
	NOEL	Raphidocelis subcapitata	> 100 mg/l, 72 hours	
N-(n-butyl)-thiophosphoric tr	iamide (CAS	94317-64-3)		
Aquatic				
Algae	EC50	Selenastrum capricornutum	280 mg/l, 96 hours	
Crustacea	EC50	Daphnia magna	290 mg/l, 48 hours	
	LC50	Daphnia	350 mg/l, 48 hours	
Fish	LC50	Lepomis macrochirus	1140 mg/l, 96 hours	
N-methyl-2-pyrrolidone (CAS	S 872-50-4)			
Aquatic				
Acute				
Algae	ErC10	Desmodesmus subspicatus	92.6 mg/l, 96 hours	
	ErC50	Desmodesmus subspicatus	600.5 mg/l, 72 hours	
Chronic				
Crustacea	NOEC	Daphnia magna	12.5 mg/l, 21 days	
rsistence and degradability	Y The product is not readily biodegradable.			
paccumulative potential				
Partition coefficient n-octa		•		
N-methyl-2-pyrrolidone (CAS	-	-0.38		
bility in soil	This product is water soluble and may disperse in soil.			
ner adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.			
3. Disposal consideration	ons			
sposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.			
cal disposal regulations	Dispose ir	accordance with all applicable regulation	ons.	

Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose in accordance with applicable regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

15. Regulatory informatio	••			
US federal regulations	This product is a "Ha Standard, 29 CFR 19		efined by the OSHA Hazard Communication	
TSCA Section 12(b) Ex	port Notification (40 C	FR 707, Subpt. D)		
Duromide (CAS 2093385-47-6) N-(n-butyl)-thiophosphoric triamide		1.0 % One-Ti	me Export Notification only. me Export Notification only.	
(CAS 94317-64-3) N-methyl-2-pyrrolidone (CAS 872-50-4) CERCLA Hazardous Substance List (40 CFI			Export Notification required.	
Not listed.	IDSTANCE LIST (40 CFR	302.4)		
SARA 304 Emergency	release notification			
Not regulated. OSHA Specifically Reg	ulated Substances (20	CFR 1910 1001-1053)		
Not listed.				
Toxic Substances Control Act (TSCA)		All components of the mixture on the TSCA 8(b) inventory are designated "active".		
Superfund Amendments and Re SARA 302 Extremely hazar		1986 (SARA)		
Not listed.				
SARA 311/312 Hazardous chemical	Yes			
Classified hazard categories	Skin corrosion or irritation Serious eye damage or eye irritation Reproductive toxicity			
SARA 313 (TRI reporting) Chemical name		CAS number	% by wt	
N-methyl-2-pyrrolidone		872-50-4	< 10	
Other federal regulations				
Clean Air Act (CAA) Section	n 112 Hazardous Air P	ollutants (HAPs) List		
Not regulated.				
Clean Air Act (CAA) Section Not regulated.	n 112(r) Accidental Re	lease Prevention (40 C	FR 68.130)	
Safe Drinking Water Act (SDWA)	Contains component	(s) regulated under the S	Safe Drinking Water Act.	
US state regulations				
US. Massachusetts RTK - Substance List				
N-methyl-2-pyrrolidone (US. New Jersey Worker and		-Know Act		
N-methyl-2-pyrrolidone (US. Pennsylvania Worker a		to-Know Law		
N-methyl-2-pyrrolidone (US. Rhode Island RTK	CAS 872-50-4)			
Not regulated.				
California Proposition 65				
		r and birth defects or oth	ng Ethylene oxide, which is known to the State of ner reproductive harm. For more information go	
California Proposition	65 - CRT: Listed date/	Carcinogenic substanc	e	
-	XIDE (CAS 123-91-1)	Listed: Janua Listed: April 1	ry 1, 1988	
Ethylene oxide (CAS		Listed: July 1		
California Proposition 65 - CRT: Listed date/Developmental toxin				
Ethylene oxide (CAS 75-21-8)Listed: August 7, 2009N-methyl-2-pyrrolidone (CAS 872-50-4)Listed: June 15, 2001				

California Proposition 65 - CRT: Listed date/Female reproductive toxin Ethylene oxide (CAS 75-21-8) Listed: February 27, 1987 California Proposition 65 - CRT: Listed date/Male reproductive toxin Ethylene oxide (CAS 75-21-8) Listed: August 7, 2009 US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

N-methyl-2-pyrrolidone (CAS 872-50-4)

16. Other information, including date of preparation or last revision

Issue date	08-February-2018
Revision date	12-May-2021
Version #	06
HMIS® ratings	Health: 3* Flammability: 1 Physical hazard: 0

NFPA ratings



List of abbreviations

References Disclaimer LC50: Lethal Concentration, 50%. LD50: Lethal Dose, 50%. STEL: Short-Term Exposure Limit. TWA: Time Weighted Average Value.

ECHA CHEM

NOTICE: The information contained in this document is based on data considered to be accurate as of the preparation date of this Safety Data Sheet (SDS) and was prepared pursuant to applicable Government regulation(s). This SDS may not be used as a commercial specification sheet of manufacturer or seller, and no warranty or representation, expressed or implied, is made as to the accuracy or comprehensiveness of the above data and safety information, nor is any authorization given or implied to practice any patented invention without a license. Additional information may be needed to evaluate other uses of the product, including use of the product in combination with any materials or in any processes other than those specifically referenced. Information provided about any hazards that may be associated with the product is not meant to suggest that use of the product in a given application will necessarily result in any exposure or risk to workers or the general public. Purchasers and users of the product are responsible for determining that this product is suitable for the intended use and application. No responsibility can be assumed by vendor for any damage or injury resulting from failure to adhere to recommended uses, or from any hazards inherent to the product. Purchasers and users assume all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations. Purchasers and users of the product should explicitly advise their employees, agents, contractors and customers who will use the product of this SDS.