

# SAFETY DATA SHEET

## 1. Identification

**Product identifier** Urea SuperU™ blend KF10000

Other means of identification

KFC\_UreaSuperU\_US\_EN **Product code** 

Fertilizer. Recommended use

**Recommended restrictions** Use in accordance with supplier's recommendations.

Manufacturer / Importer / Supplier / Distributor information Manufacturer/Supplier Koch Fertilizer Canada ULC

1400 17th Street East

Brandon, MB R7A 7C4, Canada 204-729-2900

For Chemical Emergency **Emergency** 

> Call CHEMTREC day or night USA/Canada - 1.800.424.9300 Mexico - 1.800.681.9531

Outside USA/Canada - 1.703.527.3887

(collect calls accepted)

# 2. Hazard(s) identification

**Physical hazards** Not classified. Not classified. **Health hazards** Not classified. **Environmental hazards** Not classified. **OSHA** defined hazards

Label elements

None. **Hazard symbol** Signal word None.

**Hazard statement** The mixture does not meet the criteria for classification.

**Precautionary statement** 

Prevention Use personal protective equipment as required.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

None known. classified (HNOC)

**Supplemental information** 

Not applicable.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	CAS number	%	
Urea	57-13-6	60 - 100	
Non hazardous dye	Proprietary	0 - < 3	
Dicyandiamide	461-58-5	< 1	
N-(n-butyl)-thiophosphoric triamide	94317-64-3	0 - < 0.1	
N-Methyl-2-pyrrolidone	872-50-4	0 - < 0.1	
Non hazardous component	Proprietary	0 - < 0.1	

Urea SuperU™ blend KF10000

918970 Version #: 01 Revision date: -Issue date: 11-March-2014 **Composition comments** 

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in

percent by volume.

This Safety Data Sheet is not a guarantee of product specification or NPK value(s). NPK content is on specified sales orders, customer invoices, or product specification sheets obtained from

supplier.

#### 4. First-aid measures

Inhalation Move person to fresh air. Get medical attention if any discomfort continues.

Wash off with plenty of water. Get medical attention if irritation develops or persists. Skin contact

Do not rub eye. Remove contact lenses, if present and easy to do. Flush thoroughly with water. If Eye contact

irritation occurs, get medical assistance.

Rinse mouth thoroughly if dust is ingested. Get medical attention if any discomfort occurs. Ingestion

Most important

symptoms/effects, acute and

delayed

Eye contact: Symptoms of eye contact can include irritation, redness, scratching of the cornea,

and tearing.

Skin contact: Mild skin irritation.

Dust may irritate throat and respiratory system and cause coughing.

Indication of immediate medical attention and special Treat symptomatically.

treatment needed **General information** 

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Fire-fighting equipment/instructions Use fire-extinguishing media appropriate for surrounding materials.

None known.

Urea is non-combustible under most conditions. However, during a fire, irritating/toxic gases may be generated. The dust can be ignited at very high temperatures, but not expected to explode (minimum ignition temperature (cloud) = 900 deg C.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.

Move containers from fire area if you can do it without risk. Use water spray to prevent dust formation, absorb heat, keep containers cool and protect fire-exposed material.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid inhalation of dust and contact with skin and eves. Ensure adequate ventilation. Wear suitable protective clothing. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Stop the flow of material, if this is without risk. Prevent entry into waterways, sewer, basements or confined areas. Avoid dust formation. Sweep up or vacuum up spillage and collect in suitable container for disposal. If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. After removal flush contaminated area thoroughly with water.

Never return spills to original containers for re-use.

**Environmental precautions** 

Prevent further leakage or spillage if safe to do so. Do not contaminate water. Do not allow to enter drains, sewers or watercourses.

# 7. Handling and storage

Precautions for safe handling

Avoid inhalation of dust and contact with skin and eyes. Use only with adequate ventilation. Observe good industrial hygiene practices. Use work methods which minimize dust production. Keep the workplace clean.

Conditions for safe storage, including any incompatibilities Store in a well-ventilated place. Store in a cool, dry place. Keep container tightly closed. Store away from incompatible materials. Long term storage at temperatures above 100°F (36°C) can adversely affect the efficacy of products containing N-(n-butyl)-thiophosphoric triamide.

# 8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Dust (CAS -)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.

Urea SuperU™ blend KF10000 SDS US 2/7

#### US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Туре	Value	Form
Dust (CAS -)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 millions of particle	Total dust.
		15 millions of particle	Respirable fraction.

#### **US. ACGIH Threshold Limit Values**

Components	Туре	Value	Form
Dust (CAS -)	TWA	3 mg/m3	Respirable particles.
		10 mg/m3	Inhalable particles.

#### US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Туре	Value	Form
N-Methyl-2-pyrrolidone (CAS 872-50-4)	TWA	40 mg/m3	
		10 ppm	
Urea (CAS 57-13-6)	TWA	10 mg/m3	Total particulate.

#### **Biological limit values**

## **ACGIH Biological Exposure Indices**

Components	Value	Determinant	Specimen	Sampling Time	
N-Methyl-2-pyrrolidone (CAS 872-50-4)	100 mg/l	5-Hydroxy-N-m ethyl-2-pyrrolid	Urine	*	
		ono			

<sup>\* -</sup> For sampling details, please see the source document.

#### **Exposure guidelines**

## **US WEEL Guides: Skin designation**

N-Methyl-2-pyrrolidone (CAS 872-50-4) Can be absorbed through the skin.

Appropriate engineering controls

Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of dust.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Use tight fitting goggles if dust is generated.

Skin protection

Hand protection For prolonged or repeated skin contact use suitable protective gloves. Suitable gloves can be

recommended by the glove supplier.

Other Normal work clothing (long sleeved shirts and long pants) is recommended.

limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Wear air supplied respiratory protection if exposure concentrations are unknown. In case of inadequate ventilation or risk of inhalation of dust, use suitable respiratory equipment with particle filter. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA 29 CFR

1910.134 and ANSI Z88.2.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants. Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

**Appearance** Mixture of white and light to medium blue granules.

Physical stateSolid.FormGranules.

Color White. Light to medium blue

Odor Slight sulfurous
Odor threshold Not available.

Urea SuperU™ blend KF10000 SDS US

**pH** 7.2 (10% in water)

Melting point/freezing point 275 °F (135 °C) Decomposes

Initial boiling point and boiling Not Applicable.

range

Flash point Not available.

Evaporation rate Not Applicable.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not Applicable.

Flammability limit - upper

(%)

Not Applicable.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not Applicable.

Vapor density Not Applicable.

Relative density 1.32

Solubility(ies)

Solubility (water) Soluble.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Density 47.00 lb/ft<sup>3</sup>

## 10. Stability and reactivity

**Reactivity** Not available.

Chemical stability Stable under normal temperature conditions.

Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Extreme temperatures.

**Incompatible materials** Acids. Strong reducing agents. Strong oxidizing agents.

Hazardous decomposition During combustion: Carbon oxides. Nitrogen oxides. Sulfur oxides.

products

# 11. Toxicological information

## Information on likely routes of exposure

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

**Inhalation** High concentrations of dust may irritate throat and respiratory system and cause coughing.

Skin contact Dust may irritate skin.

Eye contact Dust may irritate the eyes.

Eye contact Dust may irritate the eyes.

Symptoms related to the Eve contact: Symptoms can include irritation, redness, scratching of the cornea, and tearing.

physical, chemical and Skin contact: Mild skin irritation.

toxicological characteristics 
Dust may irritate throat and respiratory system and cause coughing.

#### Information on toxicological effects

Acute toxicity May cause discomfort if swallowed.

Components Species Test Results

N-(n-butyl)-thiophosphoric triamide (CAS 94317-64-3)

Acute

Dermal

LD50 Rat > 2000 mg/kg

Oral

LD50 Rat > 2823 mg/kg

Urea SuperU™ blend KF10000 SDS US

**Test Results** Components **Species** 

N-Methyl-2-pyrrolidone (CAS 872-50-4)

Acute

Dermal

LD50 Rabbit 8000 mg/kg

Inhalation

LC50 Rat > 5.1 mg/l

Oral

LD50 Rat 3914 mg/kg

Urea (CAS 57-13-6)

Acute

Oral

LD50 Rat 14300 mg/kg

Skin corrosion/irritation May cause irritation through mechanical abrasion. May cause irritation through mechanical abrasion. Serious eye damage/eye

irritation

Respiratory or skin sensitization

Based on available data, the classification criteria are not met. Respiratory sensitization

Skin sensitization Not a skin sensitizer.

Based on available data, the classification criteria are not met. Germ cell mutagenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

Reproductive toxicity Based on available data, the classification criteria are not met.

Specific target organ toxicity -

single exposure

Inhalation of dusts may cause respiratory irritation.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Frequent inhalation of dust over a long period of time increases the risk of developing lung

diseases.

**Further information** No other specific acute or chronic health impact noted.

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components **Test Results** Species

N-(n-butyl)-thiophosphoric triamide (CAS 94317-64-3)

Aquatic

Crustacea EC50 Daphnia magna 290 mg/l, 48 hours Fish LC50 Fish 1140 mg/l, 96 hours

N-Methyl-2-pyrrolidone (CAS 872-50-4)

Aquatic

Crustacea EC50 Daphnia magna > 1000 mg/l, 24 hours

Urea (CAS 57-13-6)

Aquatic

LC50 Fish Leuciscus idus > 6810 mg/l, 96 hours

Persistence and degradability No data available. **Bioaccumulative potential** No data available. Partition coefficient n-octanol / water (log Kow)

N-Methyl-2-pyrrolidone (CAS 872-50-4) -0.54Urea (CAS 57-13-6) -2.11

Mobility in soil This product is water soluble and may disperse in soil.

Other adverse effects No data available.

13. Disposal considerations

**Disposal instructions** Do not allow this material to drain into sewers/water supplies. Dispose in accordance with all

applicable regulations.

Hazardous waste code Not regulated.

Urea SuperU™ blend KF10000 SDS US 918970 Version #: 01 Revision date: -Issue date: 11-March-2014

Waste from residues / unused

products

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied.

## 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to

Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

## 15. Regulatory information

**US** federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

N-(n-butyl)-thiophosphoric triamide (CAS 94317-64-3) 1.0 % One-Time Export Notification only.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

No

**Hazard categories** Immediate Hazard - No

> Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting) Not regulated.

## Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA) **US** state regulations

WARNING: This product contains a chemical known to the State of California to cause birth

defects or other reproductive harm.

US. Massachusetts RTK - Substance List

N-Methyl-2-pyrrolidone (CAS 872-50-4)

US. New Jersey Worker and Community Right-to-Know Act

N-Methyl-2-pyrrolidone (CAS 872-50-4)

US. Pennsylvania Worker and Community Right-to-Know Law

N-Methyl-2-pyrrolidone (CAS 872-50-4)

**US. Rhode Island RTK** 

N-Methyl-2-pyrrolidone (CAS 872-50-4)

**US.** California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

N-Methyl-2-pyrrolidone (CAS 872-50-4)

Urea SuperU™ blend KF10000 918970 Version #: 01 Revision date: -Issue date: 11-March-2014 Country(s) or region Inventory name On inventory (yes/no)\*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s)

# 16. Other information, including date of preparation or last revision

Issue date 11-March-2014

Revision date - 01

**NFPA Ratings** 



**List of abbreviations** LC50: Lethal Concentration, 50%.

LD50: Lethal Dose, 50%.

References IARC: International Agency for Research on Cancer.

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices (2009)

National Toxicology Program (NTP) Report on Carcinogens

Disclaimer

NOTICE: The information presented herein is based on data considered to be accurate as of the date of preparation of this Safety Data Sheet (SDS) and was prepared pursuant to Government regulation(s) that identify specific types of information to be provided. This SDS may not be used as a commercial specification sheet of manufacturer or seller, and no warranty or representation, expressed or implied, is made as to the accuracy or comprehensiveness of the foregoing data and safety information, nor is any authorization given or implied to practice any patented invention without a license. Additional information may be needed to evaluate other uses of the product, including use of the product in combination with any materials or in any processes other than those specifically referenced. Information provided herein with respect to any hazards that may be associated with the product is not meant to suggest that use of the product in a given application will necessarily result in any exposure or risk to workers or the general public. No responsibility can be assumed by vendor for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices, or from any hazards inherent in the nature of the product. Purchasers and users assume all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations. Purchasers and users of the product specifically should advise all of their employees, agents, contractors and customers who will use the product of this (M)SDS.

Urea SuperU<sup>™</sup> blend KF10000 SDS US